

MATERIAL SAFETY DATA SHEET

Page 1 of 2

Section I: PRODUCT INFORMATION

PRODUCT IDENTIFIER: ProTek-EnviroFinish™MANUFACTURER: ProTek-USAADDRESS: 1515 NW 52nd Street, Suite BSeattle, WA 98107USAPRODUCT USE: Interior Acrylic Ceramic
Insulating Wall PaintEMERGENCY TELEPHONE NUMBER: 1 800 420-2998

Section II: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	%	CAS/PIN	LD50 (Species/Route)	LC50 (Species)
NONE-Not Hazardous		None Established		

Section III: PHYSICAL DATA

Physical State: LiquidAppearance and Odor: White; Low odorSolubility in Water: SolubleFreezing Point: 32° FBoiling Point: 212° FpH: 8 - 8.5Specific Gravity: (H₂O=1): >1Odor Threshold: UnknownCoeff. Water/Oil: NAVEvaporation Rate: (Butyl Acetate=1): <1Percent Volatile: 40-45%Vapor Density (Air = 1): <1Vapor Pressure: about the same as H₂O

Section IV: FIRE OR EXPLOSION HAZARD

Conditions of Flammability: Not flammable, water-based product.Hazardous Combustion Products: N/AAutoignition Temperature: N/AMinimum Ignition Energy: NAVFlammable Limits (Lower): N/AFlammable Limits (Upper): N/AFlash Point & Method: N/A – Does not burnFire Point: NAVSensitivity to Mechanical Impact: NoSensitivity to Static Discharge: NoSpecial Procedures: NoneMeans of Extinction: N/A

NAV = Not Available

N/A = Not Applicable

Section V: REACTIVITY DATA

Conditions of Reactivity: Stable
 Chemical Incompatibility: Strong acids or bases.
 Conditions of Incompatibility: Stable
 Hazardous Decomposition Product: None known, no hazardous polymerization.
 Corrosive Behavior: No

Section VI: TOXICOLOGICAL PROPERTIES

ROUTES OF ENTRY: Skin Contact: _____ Skin Absorption: _____ Eye Contact: X
 Inhalation: None expected Ingestion: None expected Synergistic Products: None known
 Exposure Limits: None known

Effects of Acute Exposure: None known

Effects of Chronic Exposure: None known

Mutagenicity: None known
 Carcinogenicity: None
 Irritancy: Possible eyes
 Teratogenicity: None known
 Reproductive Toxicity: None known
 Sensitization: Not expected

Section VII: PREVENTIVE MEASURES

Personal Protective Equipment: No inhalation hazard expected. Protective Clothing: Apron to keep of clothes. Local ventilation. Use safety goggles for eye protection.

Engineering Controls: Use mechanical ventilation to control aerosol or mist if product is sprayed.

Storage Requirements: Keep from freezing.

Handling Procedures/Equipment: Treat as paint product. Use ventilation protective equipment to suit conditions of use.

Leak/Spill Procedures: Collect liquid or solidify with absorbent and package for disposal

Waste Disposal: Solid waste landfill

Section VIII: FIRST AID MEASURES

Inhalation: Remove to fresh air
 Eyes: Flush with large amounts of water for 15 minutes. Consult physician.
 Skin: Wash with mild soap and water.
 Other: Ingestion: Call physician if significant amounts have been swallowed. Give large amounts of water or mild for dilution.

Section IX: PREPARATION INFORMATION

Prepared by: ProTek- 1515 NW 52nd Street, Suite B, Seattle WA, 98107
 Telephone No.: 1 (800) 420-2998 Date of Preparation: 1-10